

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S190	0	(@ad<"20030616" or @pd<"20031124" or @rlad<"20031124" or @prad<"20031124") and roam\$3 with charges and negotiat\$4 and communications with network and (leasing or negotia\$5) and network\$1 with provid\$3 same service and credit adj check\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/09 17:34
S191	1	(@ad<"20030616" or @pd<"20031124" or @rlad<"20031124" or @prad<"20031124") and roam\$3 with charges and negotiat\$4 and communications with network and credit adj check\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/09 17:35
S194	1	(@ad<"20030616" or @pd<"20031124" or @rlad<"20031124" or @prad<"20031124") and roam\$3 with charges and negotiat\$4 and communications with network and credit near2 (worthy or worthiness or check\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/09 17:47
S195	0	(@ad<"20030616" or @pd<"20031124" or @rlad<"20031124" or @prad<"20031124") and roam\$3 with charges and negotiat\$4 and communications with network and credit near2 (worthy or worthiness or check\$1) and bandwidth	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/09 17:48
S196	1	(@ad<"20030616" or @pd<"20031124" or @rlad<"20031124" or @prad<"20031124") and roam\$3 with charges and negotiat\$4 and communications with network and credit near1 (worthy or worthiness or check\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/23 11:16

S197	1	(@ad<"20030616" or @pd<"20031124" or @rlad<"20031124" or @prad<"20031124") and roam\$3 with charges and negotiat\$4 and communications with network and credit adj (worthy or worthiness or check\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/23 11:27
S198	1	(@ad<"20030616" or @pd<"20031124" or @rlad<"20031124" or @prad<"20031124") and roam\$3 with charges and negotiat\$4 and communications with network and credit adj (worthy or worthiness or check\$1) and billing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/23 11:28
S199	35	"5862471"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/23 11:33
S200	11	"5862471" and credit	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/23 11:34
S201	1	"20040132449" and billing	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/23 12:40
S202	0	"20040132449" and billing same other	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/23 12:42
S203	1	"20040132449" and (billing or payment\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/23 12:42
S204	1	"20040132449" and (billing or payment\$1) same visit\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/23 12:42

S205	0	(@ad<"20030616" or @pd<"20031124" or @rlad<"20031124" or @prad<"20031124") and (broker\$3 or middleman or mediat\$4) same (communications or wireless) with network same communication\$1 and provider\$1 with availab\$5 with (rout\$3 or path\$1 and bandwidth) same (alert\$3 or notif\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/23 22:59
S206	27	(@ad<"20030616" or @pd<"20031124" or @rlad<"20031124" or @prad<"20031124") and (communications or wireless) with network same communication\$1 and provider\$1 with availab\$5 with (rout\$3 or path\$1 and bandwidth) same (alert\$3 or notif\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/23 23:00
S207	36505	(@ad<"20030616" or @pd<"20031124" or @rlad<"20031124" or @prad<"20031124") and (communications or wireless) with network same communication\$1 and provider\$1 with availab\$5 ear4 (rout\$3 or path\$1 and bandwidth) same (alert\$3 or notif\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/23 23:02
S208	1	(@ad<"20030616" or @pd<"20031124" or @rlad<"20031124" or @prad<"20031124") and (communications or wireless) with network same communication\$1 and provider\$1 with availab\$5 near4 (rout\$3 or path\$1 and bandwidth) same (alert\$3 or notif\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/23 23:03

S209	0	(@ad<"20030616" or @pd<"20031124" or @rlad<"20031124" or @prad<"20031124") and (broker\$3 or middleman or mediat\$4) same (communications or wireless) near3 network same (alert\$3 or notif\$4) near5 availab\$5 same (rout\$3 or path\$1 and bandwidth)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/23 23:04
S210	20	(@ad<"20030616" or @pd<"20031124" or @rlad<"20031124" or @prad<"20031124") and (broker\$3 or middleman or mediat\$4) same (communications or wireless) near3 network same availab\$5 same (rout\$3 or path\$1 and bandwidth)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/23 23:04
S211	41	(@ad<"20030616" or @pd<"20031124" or @rlad<"20031124" or @prad<"20031124") and (broker\$3 or middleman or mediat\$4 or negotiat\$4) same (communications or wireless) near3 network same availab\$5 same (rout\$3 or path\$1 and bandwidth)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/23 23:07
S212	6	(@ad<"20030616" or @pd<"20031124" or @rlad<"20031124" or @prad<"20031124") and (broker\$3 or middleman or mediat\$4 or negotiat\$4) with (communications or wireless) near3 network same availab\$5 same (rout\$3 or path\$1 and bandwidth)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/23 23:07
S213	1	(@ad<"20030616" or @pd<"20031124" or @rlad<"20031124" or @prad<"20031124") and (broker\$3 or middleman or mediat\$4 or negotiat\$4) with (communications or wireless) near3 network same availab\$5 with (route or routes or routing or path\$1 and bandwidth)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/23 23:08

S214	6	(@ad<"20030616" or @pd<"20031124" or @rlad<"20031124" or @prad<"20031124") and (broker\$3 or middleman or mediat\$4 or negotiat\$4) with provider\$1 with (communications or wireless) near5 network and availab\$5 with (route or routes or routing or path\$1 and bandwidth)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/23 23:09
S215	5	(@ad<"20030616" or @pd<"20031124" or @rlad<"20031124" or @prad<"20031124") and (broker\$3 or middleman or mediat\$4 or negotiat\$4) with provider\$1 same (communications or wireless) with network\$1 and (messag\$3 or notify\$3 or alert\$3) with availab\$5 with (route or routes or routing or path\$1 and bandwidth)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/23 23:13
S216	0	(@ad<"20030616" or @pd<"20031124" or @rlad<"20031124" or @prad<"20031124") and negotiat\$4 with provider\$1 with (communications or wireless) with network\$1 and (messag\$3 or notify\$3 or alert\$3) with availab\$5 with (route or routes or routing or path\$1 and bandwidth)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/23 23:16
S217	0	(@ad<"20030616" or @pd<"20031124" or @rlad<"20031124" or @prad<"20031124") and negotiat\$4 same provider\$1 with (communications or wireless) with network\$1 and (messag\$3 or notify\$3 or alert\$3) with availab\$5 with (route or routes or routing or path\$1 and bandwidth)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/23 23:16

S218	0	(@ad<"20030616" or @pd<"20031124" or @rlad<"20031124" or @prad<"20031124") and negotiat\$4 same provider\$1 same (communications or wireless) with network\$1 and (messag\$3 or notify\$3 or alert\$3) with availab\$5 with (route or routes or routing or path\$1 and bandwidth)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/23 23:16
S219	52	(@ad<"20030616" or @pd<"20031124" or @rlad<"20031124" or @prad<"20031124") and negotiat\$4 with service\$1 and provid\$3 same (communications or wireless) with network\$1 and (messag\$3 or notify\$3 or alert\$3) with availab\$5 with (route or routes or routing or path\$1 and bandwidth)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/23 23:22
S220	38	(@ad<"20030616" or @pd<"20031124" or @rlad<"20031124" or @prad<"20031124") and negotiat\$4 with service\$1 and provid\$3 same (communications or wireless) with network\$1 and (messag\$3 or notify\$3 or alert\$3) with availab\$5 with (route or routes or routing or path\$1 and bandwidth) and credit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/23 23:22
S221	0	(@ad<"20030616" or @pd<"20031124" or @rlad<"20031124" or @prad<"20031124") and negotiat\$4 with service\$1 same provid\$3 with (communications or wireless) with network\$1 and (messag\$3 or notify\$3 or alert\$3) with availab\$5 with (route or routes or routing or path\$1 and bandwidth)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/23 23:36

S222	35	(@ad<"20030616" or @pd<"20031124" or @rlad<"20031124" or @prad<"20031124") and negotiat\$4 with service\$1 and provid\$3 with (communications or wireless) with network\$1 and (messag \$3 or notify\$3 or alert\$3) with availab\$5 with (route or routes or routing or path\$1 and bandwidth)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/23 23:36
S223	4	(@ad<"20030616" or @pd<"20031124" or @rlad<"20031124" or @prad<"20031124") and negotiat\$4 with service\$1 and provid\$3 with (communications or wireless) with network\$1 same roam\$3 and (messag\$3 or notify\$3 or alert\$3) with availab\$5 with (route or routes or routing or path\$1 and bandwidth)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/23 23:39
S224	0	(@ad<"20030616" or @pd<"20031124" or @rlad<"20031124" or @prad<"20031124") and negotiat\$4 with service\$1 same provid\$3 same (communications or wireless) with network\$1 same roam\$3 and (messag\$3 or notify\$3 or alert\$3) with availab\$5 with (route or routes or routing or path\$1 and bandwidth)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/23 23:44

6/ 28/ 08 2:00:56 PM

C:\Documents and Settings\fnelson1\My Documents\EAST\Workspaces\10720946c.wsp